Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Hispanic, both sexes, all ages ³				Hispanic, both sexes, 15-24 years		
	All causes	95,460	325.3		All causes	4,482	87.0
	Diseases of heart (390-398,402,404-429)	23,824	81.2	1	Accidents and adverse effects (E800-E949)	1,736	33.
2	Malignant neoplasms, including neoplasms of				Motor vehicle accidents (E810-E825)	1,289	25.0
_	lymphatic and hematopoietic tissues (140-208)	18,635	63.5		All other accidents and adverse		
	Accidents and adverse effects (E800-E949)	7,932	27.0 14.7	2	effects (E800-E807,E826-E949)	447	8.7
	Motor vehicle accidents (E810-E825) All other accidents and adverse	4,315	14.7	3	Homicide and legal intervention (E960-E978) Suicide (E950-E959)	1,295 455	25.1 8.8
	effects (E800-E807,E826-E949)	3,617	12.3	4	Malignant neoplasms, including neoplasms of	400	0.0
	Cerebrovascular diseases (430-438)	5,306	18.1		lymphatic and hematopoietic tissues (140-208)	220	4.3
5	Diabetes mellitus (250)	4,538	15.5	5	Diseases of heart (390-398,402,404-429)	113	2.2
	Homicide and legal intervention (E960-E978)	3,248	11.1	6	Congenital anomalies (740-759)	45	0.9
	Pneumonia and influenza (480-487) Chronic liver disease and cirrhosis (571)	3,119 2,793	10.6 9.5	7	Human immunodeficiency virus infection (*042-*044)	41	0.8
	Chronic obstructive pulmonary diseases	2,755	5.5	8	Pneumonia and influenza (480-487)	33	0.6
	and allied conditions (490-496)	2,477	8.4	9	Cerebrovascular diseases (430-438)	27	0.5
10	Human immunodeficiency virus			10	Complications of pregnancy, childbirth, and		
	infection (*042-*044)	2,300	7.8		the puerperium (630-676)	19	,
	All other causes (Residual)	21,288	72.5		All other causes (Residual)	498	9.7
	Hispanic, both sexes, 1-4 years				Hispanic, both sexes, 25-44 years		
	All causes	832	31.3		All causes	13,186	137.0
	Accidents and adverse effects (E800-E949)	304	11.4	1	Accidents and adverse effects (E800-E949)	3,174	33.0
	Motor vehicle accidents (E810-E825) All other accidents and adverse	156	5.9		Motor vehicle accidents (E810-E825)	1,668	17.3
	effects (E800-E807,E826-E949)	148	5.6		effects (E800-E807,E826-E949)	1,506	15.7
2	Congenital anomalies (740-759)	99	3.7	2	Malignant neoplasms, including neoplasms of	1,000	10.7
	Malignant neoplasms, including neoplasms of				lymphatic and hematopoietic tissues (140-208)	1,655	17.2
	lymphatic and hematopoietic tissues (140-208)	72	2.7	3	Human immunodeficiency virus		
	Homicide and legal intervention (E960-E978)	64	2.4	1 .	infection (*042-*044)	1,573	16.3
	Diseases of heart (390-398,402,404-429) Pneumonia and influenza (480-487)	33 31	1.2 1.2	4 5	Homicide and legal intervention (E960-E978) Diseases of heart (390-398,402,404-429)	1,435 941	14.9 9.8
	Septicemia (038)	11	*	6	Suicide (E950-E959)	809	8.4
	Certain conditions originating in the perinatal			7	Chronic liver disease and cirrhosis (571)	577	6.0
_	_period (760-779)	11	*	8	Cerebrovascular diseases (430-438)	350	3.6
9	Benign neoplasms, carcinoma in situ, and			9	Diabetes mellitus (250)	184	1.9
	neoplasms of uncertain behavior and of unspecified nature (210-239)	10	*	10	Pneumonia and influenza (480-487)All other causes (Residual)	158 2,330	1.6 24.2
10	Human immunodeficiency virus	10			All other causes (Nesidual)	2,330	24.2
	infection (*042-*044)	9	*		Hispanic, both sexes, 45-64 years		
	All other causes (Residual)	188	7.1				
	Higheria both seven F 14 years			· · ·	All causes	20,365	494.0
	Hispanic, both sexes, 5-14 years			1	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	5,680	137.8
	All causes	934	17.2	2	Diseases of heart (390-398,402,404-429)	4.667	113.2
	Accidents and adverse effects (E800-E949)	339	6.2	3	Chronic liver disease and cirrhosis (571)	1,346	32.6
	Motor vehicle accidents (E810-E825)	209	3.8	4	Accidents and adverse effects (E800-E949)	1,281	31.1
	All other accidents and adverse	120	2.4		Motor vehicle accidents (E810-E825)	617	15.0
2	effects (E800-E807,E826-E949)	130	2.4		All other accidents and adverse effects (E800-E807,E826-E949)	664	16.1
_	lymphatic and hematopoietic tissues (140-208)	149	2.7	5	Diabetes mellitus (250)	1,262	30.6
	Congenital anomalies (740-759)	64	1.2	6	Cerebrovascular diseases (430-438)	1,066	25.9
4	Homicide and legal intervention (E960-E978)	57	1.0	7	Human immunodeficiency virus		
	Diseases of heart (390-398,402,404-429)	33	0.6		infection (*042-*044)	608	14.7
6 7	Pneumonia and influenza (480-487) Suicide (E950-E959)	26 23	0.5 0.4	8 9	Pneumonia and influenza (480-487) Chronic obstructive pulmonary diseases	357	8.7
	Human immunodeficiency virus	23	0.4	9	and allied conditions (490-496)	322	7.8
	infection (*042-*044)	19	*	10	Homicide and legal intervention (E960-E978)	286	6.9
9	Benign neoplasms, carcinoma in situ, and				All other causes (Residual)	3,490	84.6
	neoplasms of uncertain behavior and of	_	*		·		
9	unspecified nature (210-239)	8	*				
9	and allied conditions (490-496)	8	*				
	All other causes (Residual)	208	3.8				
	,			1			

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for		
Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²
	Hispanic, both sexes, 65 years and over				Hispanic, male, 5-14 years		
	All causes	51,371	3,091.5		All causes	520	18.7
1	Diseases of heart (390-398,402,404-429)	17,929	1,079.0	1	Accidents and adverse effects (E800-E949)	210	7.5
2	Malignant neoplasms, including neoplasms of				Motor vehicle accidents (E810-E825)	124	4.5
	lymphatic and hematopoietic tissues (140-208)	10,839	652.3		All other accidents and adverse		
3	Cerebrovascular diseases (430-438)	3,819	229.8	_	effects (E800-E807,E826-E949)	86	3.
4	Diabetes mellitus (250)	3,073	184.9	2	Malignant neoplasms, including neoplasms of	74	0.7
5	Pneumonia and influenza (480-487)	2,438	146.7	3	lymphatic and hematopoietic tissues (140-208)	71 41	2.
6	Chronic obstructive pulmonary diseases and allied conditions (490-496)	2.021	121 6	4	Homicide and legal intervention (E960-E978) Congenital anomalies (740-759)	26	1.5 0.9
7	Accidents and adverse effects (E800-E949)	2,021 951	121.6 57.2	5	Diseases of heart (390-398,402,404-429)	21	0.8
	Motor vehicle accidents (E810-E825)	336	20.2	6	Suicide (E950-E959)	15	0.0
	All other accidents and adverse	330	20.2	7	Pneumonia and influenza (480-487)	14	
	effects (E800-E807,E826-E949)	615	37.0	8	Human immunodeficiency virus	• • •	
8	Chronic liver disease and cirrhosis (571)	857	51.6		infection (*042-*044)	10	
9	Nephritis, nephrotic syndrome, and	001	01.0	9	Anemias (280-285)	4	
Ü	nephrosis (580-589)	631	38.0	10	Meningitis (320-322)	3	
10	Septicemia (038)	539	32.4	10	Cerebrovascular diseases (430-438)	3	
	All other causes (Residual)	8,274	497.9	10	Hernia of abdominal cavity and		
	,				intestinal obstruction without		
	Hispanic, male, all ages ³				mention of hernia (550-553,560)	3	
					All other causes (Residual)	99	3.6
	All causes	54,348	360.5				
1	Diseases of heart (390-398,402,404-429)	12,654	83.9		Hispanic, male, 15-24 years		
2	Malignant neoplasms, including neoplasms of				***		
_	lymphatic and hematopoietic tissues (140-208)	9,865	65.4	1.51	All causes	3,569	129.1
3	Accidents and adverse effects (E800-E949)	5,978	39.7	1	Accidents and adverse effects (E800-E949)	1,380	49.9
	Motor vehicle accidents (E810-E825)	3,137	20.8		Motor vehicle accidents (E810-E825)	976	35.3
	All other accidents and adverse	0.044	40.0			404	14.6
4	effects (E800-E807,E826-E949)	2,841	18.8	2	effects (E800-E807,E826-E949) Homicide and legal intervention (E960-E978)	1,181	42.7
4	Homicide and legal intervention (E960-E978)	2,800	18.6	3	Suicide (E950-E959)	398	14.4
5 6	Cerebrovascular diseases (430-438)	2,510 2,083	16.7 13.8	4	Malignant neoplasms, including neoplasms of	330	14.5
7	Diabetes mellitus (250)	2,003	13.3	7	lymphatic and hematopoietic tissues (140-208)	137	5.0
8	Human immunodeficiency virus	2,003	13.3	5	Diseases of heart (390-398,402,404-429)	85	3.
O	infection (*042-*044)	1,856	12.3	6	Human immunodeficiency virus	00	0.
9	Pneumonia and influenza (480-487)	1,608	10.7		infection (*042-*044)	33	1.2
10	Suicide (E950-E959)	1,479	9.8	7	Congenital anomalies (740-759)	26	0.9
	All other causes (Residual)	11,512	76.4	8	Pneumonia and influenza (480-487)	20	0.7
	7 III OUTO GAAGOO (TOOTAGA) TIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	,		9	Cerebrovascular diseases (430-438)	11	
	Hispanic, male, 1-4 years			10	Chronic obstructive pulmonary diseases		
	• • • •				and allied conditions (490-496)	10	
	All causes	465	34.1	10	Diabetes mellitus (250)	10	,
1	Accidents and adverse effects (E800-E949)	169	12.4		All other causes (Residual)	278	10.1
	Motor vehicle accidents (E810-E825)	86	6.3				
	All other accidents and adverse				Hispanic, male, 25-44 years		
	effects (E800-E807,E826-E949)	83	6.1		All	0.700	400
2	Congenital anomalies (740-759)	59	4.3	1	All causes	9,738	190.8
3	Malignant neoplasms, including neoplasms of			1	Accidents and adverse effects (E800-E949)	2,611	51.2
	lymphatic and hematopoietic tissues (140-208)	43	3.2		Motor vehicle accidents (E810-E825)	1,297	25.4
4	Homicide and legal intervention (E960-E978)	34	2.5		All other accidents and adverse effects (E800-E807,E826-E949)	1,314	25.7
5	Diseases of heart (390-398,402,404-429)	19	*	2	Human immunodeficiency virus	1,514	20.1
6	Pneumonia and influenza (480-487)	12	*	-	infection (*042-*044)	1,269	24.9
7	Septicemia (038)	/		3	Homicide and legal intervention (E960-E978)	1,231	24.
,	Human immunodeficiency virus infection (*042-*044)	7	*	4	Malignant neoplasms, including neoplasms of	,,201	- r.
9	Certain conditions originating in the perinatal	,		'	lymphatic and hematopoietic tissues (140-208)	762	14.9
0	period (760-779)	5	*	5	Suicide (E950-E959)	710	13.9
9	Cerebrovascular diseases (430-438)	5	*	6	Diseases of heart (390-398,402,404-429)	704	13.8
	All other causes (Residual)	105	7.7	7	Chronic liver disease and cirrhosis (571)	467	9.
				8	Cerebrovascular diseases (430-438)	214	4.2
See foo	tnotes at end of table.			9	Diabetes mellitus (250)	112	2.2
				10	Pneumonia and influenza (480-487)	104	2.0
					All other causes (Residual)	1,554	30.4

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate
	Hispanic, male, 45-64 years				Hispanic, female, 1-4 years		
	All causes	12,705	634.3		All causes	367	28
	Diseases of heart (390-398,402,404-429)	3,213	160.4	1	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	135 70	10
_	lymphatic and hematopoietic tissues (140-208)	2,948	147.2		All other accidents and adverse		
3	Chronic liver disease and cirrhosis (571)	1,055	52.7		effects (E800-E807,E826-E949)	65	5
	Accidents and adverse effects (E800-E949)	953	47.6	2	Congenital anomalies (740-759)	40	
	Motor vehicle accidents (E810-E825)	427	21.3	3	Homicide and legal intervention (E960-E978)	30	:
	All other accidents and adverse			4	Malignant neoplasms, including neoplasms of	20	
	effects (E800-E807,E826-E949)	526	26.3	5	lymphatic and hematopoietic tissues (140-208) Pneumonia and influenza (480-487)	29 19	:
;	Diabetes mellitus (250)	656 639	32.7 31.9	6	Diseases of heart (390-398,402,404-429)	14	
	Human immunodeficiency virus	639	31.9	7	Benign neoplasms, carcinoma in situ, and		
	infection (*042-*044)	495	24.7		neoplasms of uncertain behavior and of		
3	Homicide and legal intervention (E960-E978)	233	11.6		unspecified nature (210-239)	6	
)	Suicide (E950-E959)	232	11.6	7	Certain conditions originating in the perinatal		
	Pneumonia and influenza (480-487)	220	11.0		period (760-779)	6	
	All other causes (Residual)	2,061	102.9	9	Septicemia (038)	4	
	11			10	Human immunodeficiency virus infection (*042-*044)	2	
	Hispanic, male, 65 years and over			10	Tuberculosis (010-018)	2	
	All causes	24,988	3.573.2	10	Cerebrovascular diseases (430-438)	2	
	Diseases of heart (390-398.402.404-429)	8,544	1,221.8	10	Meningitis (320-322)	2	
	Malignant neoplasms, including neoplasms of	-,	.,		All other causes (Residual)	76	
	lymphatic and hematopoietic tissues (140-208)	5,895	843.0		Historia famala 5 44		
	Cerebrovascular diseases (430-438)	1,621	231.8		Hispanic, female, 5-14 years		
	Diabetes mellitus (250)	1,302	186.2		All causes	414	1
	Pneumonia and influenza (480-487) Chronic obstructive pulmonary diseases	1,194	170.7	1	Accidents and adverse effects (E800-E949)	129	
	and allied conditions (490-496)	1,115	159.4	l	Motor vehicle accidents (E810-E825)	85	
	Accidents and adverse effects (E800-E949)	556	79.5		All other accidents and adverse		
	Motor vehicle accidents (E810-E825)	200	28.6		effects (E800-E807,E826-E949)	44	
	All other accidents and adverse			2	Malignant neoplasms, including neoplasms of	70	
	effects (E800-E807,E826-E949)	356	50.9		lymphatic and hematopoietic tissues (140-208)	78 38	
	Chronic liver disease and cirrhosis (571)	472	67.5	3 4	Congenital anomalies (740-759) Homicide and legal intervention (E960-E978)	38 16	
	Nephritis, nephrotic syndrome, and	207	44.0	5	Diseases of heart (390-398,402,404-429)	12	
	nephrosis (580-589)	287 250	41.0 35.7	5	Pneumonia and influenza (480-487)	12	
	All other causes (Residual)	3,752	536.5	7	Human immunodeficiency virus		
	7 III OLITOT GAGGGG (TOGGGGGG) TITTITITITITITITITITITITITITITITITITIT	0,. 02	000.0		infection (*042-*044)	9	
	Hispanic, female, all ages ³			8	Suicide (E950-E959)	8	
				8	Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of		
	All causes	41,112	288.0		unspecified nature (210-239)	8	
	Diseases of heart (390-398,402,404-429)	11,170	78.3	10	Chronic obstructive pulmonary diseases	O	
2	lymphatic and hematopoietic tissues (140-208)	8,770	61.4	''	and allied conditions (490-496)	7	
	Cerebrovascular diseases (430-438)	2,796	19.6		All other causes (Residual)	97	
ļ	Diabetes mellitus (250)	2,455	17.2				
i	Accidents and adverse effects (E800-E949)	1,954	13.7		Hispanic, female, 15-24 years		
	Motor vehicle accidents (E810-E825)	1,178	8.3		All causes	913	3
	All other accidents and adverse effects (E800-E807,E826-E949)	776	5.4	1	Accidents and adverse effects (E800-E949)	356	1
	Pneumonia and influenza (480-487)	1,511	10.6		Motor vehicle accidents (E810-E825)	313	1
	Chronic obstructive pulmonary diseases	1,011	10.0		All other accidents and adverse		
	and allied conditions (490-496)	1,120	7.8		effects (E800-E807,E826-E949)	43	
	Certain conditions originating in the perinatal			2 3	Homicide and legal intervention (E960-E978) Malignant neoplasms, including neoplasms of	114	
	period (760-779)	831	5.8	3	lymphatic and hematopoietic tissues (140-208)	83	
	Chronic liver disease and cirrhosis (571)	790 750	5.5	4	Suicide (E950-E959)	57	
	Congenital anomalies (740-759)	759 8,956	5.3 62.7	5	Diseases of heart (390-398,402,404-429)	28	
	7 III Olifor Gadooo (Noolada)	0,000	02.7	6	Complications of pregnancy, childbirth, and		
foot	tnotes at end of table.				the puerperium (630-676)	19	
				6	Congenital anomalies (740-759)	19	
				8 9	Cerebrovascular diseases (430-438) Pneumonia and influenza (480-487)	16 13	
				10	Benign neoplasms, carcinoma in situ, and	13	
				'0	neoplasms of uncertain behavior and of		
					unspecified nature (210-239)	8	
				10	Chronic obstructive pulmonary diseases		
				,_	and allied conditions (490-496)	8	
				10	Human immunodeficiency virus		
				1	infection (*042-*044)	8	

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for				Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate
	Hispanic, female, 25-44 years				Total non-Hispanic ⁴ , both sexes, all ages ³		
					,		
	All causes	3,448	76.3	1	All causes	2,209,450	927
1	Malignant neoplasms, including neoplasms of	000	40.0	1	Diseases of heart (390-398,402,404-429)	700,192	293
2	lymphatic and hematopoietic tissues (140-208) Accidents and adverse effects (E800-E949)	893 563	19.8 12.5	2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	519,228	217
٠.	Motor vehicle accidents (E810-E825)	371	8.2	3	Cerebrovascular diseases (430-438)	153,980	64
:	All other accidents and adverse	371	0.2	4	Chronic obstructive pulmonary diseases	155,500	0-
-	effects (E800-E807,E826-E949)	192	4.2		and allied conditions (490-496)	106,163	44
3	Human immunodeficiency virus			5	Accidents and adverse effects (E800-E949)	87,176	36
	infection (*042-*044)	304	6.7		Motor vehicle accidents (E810-E825)	38,948	16
4	Diseases of heart (390-398,402,404-429)	237	5.2		All other accidents and adverse		
5	Homicide and legal intervention (E960-E978)	204	4.5	_	effects (E800-E807,E826-E949)	48,228	20
3	Cerebrovascular diseases (430-438)	136	3.0	6	Pneumonia and influenza (480-487)	82,978	34
,	Chronic liver disease and cirrhosis (571)	110	2.4	7	Diabetes mellitus (250)	57,888	24
5 6 7 8 9	Suicide (E950-E959)	99 72	2.2 1.6	8 9	Suicide (E950-E959)	28,661	12
9	Diabetes mellitus (250)	72 54	1.0	9	Nephritis, nephrotic syndrome, and nephrosis (580-589)	24,334	10
	All other causes (Residual)	776	17.2	10	Chronic liver disease and cirrhosis (571)	22,253	(
	7 III Otrior oddood (Noorddar)	7.70			All other causes (Residual)	426.597	179
	Hispanic, female, 45-64 years				, ,	-,	
					Total non-Hispanic ⁴ , both sexes, 1-4 years		
	All causes	7,660	361.4				
l	Malignant neoplasms, including neoplasms of	0.700	400.0	1 151	All causes	4,646	36
,	lymphatic and hematopoietic tissues (140-208)	2,732	128.9	1	Accidents and adverse effects (E800-E949)	1,692	13
2	Diseases of heart (390-398,402,404-429)	1,454	68.6 28.6		Motor vehicle accidents (E810-E825)	607	4
3 4	Cerebrovascular diseases (430-438)	606 427	20.0		All other accidents and adverse effects (E800-E807,E826-E949)	1,085	8
5	Accidents and adverse effects (E800-E949)	328	15.5	2	Congenital anomalies (740-759)	488	3
	Motor vehicle accidents (E810-E825)	190	9.0	3	Malignant neoplasms, including neoplasms of	400	•
	All other accidents and adverse	100	0.0		lymphatic and hematopoietic tissues (140-208)	365	2
	effects (E800-E807,E826-E949)	138	6.5	4	Homicide and legal intervention (E960-E978)	308	2
6	Chronic liver disease and cirrhosis (571)	291	13.7	5	Diseases of heart (390-398,402,404-429)	178	
7	Chronic obstructive pulmonary diseases			6	Pneumonia and influenza (480-487)	149	
	and allied conditions (490-496)	152	7.2	7	Certain conditions originating in the perinatal		
3	Pneumonia and influenza (480-487)	137	6.5		period (760-779)	64	(
9	Human immunodeficiency virus			8	Septicemia (038)	62	(
_	infection (*042-*044)	113	5.3	9	Benign neoplasms, carcinoma in situ, and		
)	Nephritis, nephrotic syndrome, and	07	4.4		neoplasms of uncertain behavior and of		(
	nephrosis (580-589)	87 1,333	4.1 62.9	10	unspecified nature (210-239)	55 49	(
	All other causes (Residual)	1,333	02.9	10	Cerebrovascular diseases (430-438)	1,236	(
	Hispanic, female, 65 years and over				All other causes (itesidual)	1,230	•
	., , , ,				Total non-Hispanic ⁴ , both sexes, 5-14 years		
	All causes	26,383	2,741.4			_	
1	Diseases of heart (390-398,402,404-429)	9,385	975.2	1	All causes	7,098	21
2	Malignant neoplasms, including neoplasms of	4.044	F40.7	1	Accidents and adverse effects (E800-E949)	3,020	9
,	lymphatic and hematopoietic tissues (140-208)	4,944	513.7		Motor vehicle accidents (E810-E825)	1,748	Ę
3 4	Cerebrovascular diseases (430-438)	2,198 1,771	228.4 184.0		All other accidents and adverse effects (E800-E807,E826-E949)	1,272	3
5	Pneumonia and influenza (480-487)	1,244	129.3	2	Malignant neoplasms, including neoplasms of	1,212	,
5	Chronic obstructive pulmonary diseases	1,277	123.5	-	lymphatic and hematopoietic tissues (140-208)	877	2
	and allied conditions (490-496)	906	94.1	3	Homicide and legal intervention (E960-E978)	399	7
7	Accidents and adverse effects (E800-E949)	395	41.0	4	Congenital anomalies (740-759)	383	
	Motor vehicle accidents (E810-E825)	136	14.1	5	Suicide (E950-E959)	284	(
	All other accidents and adverse			6	Diseases of heart (390-398,402,404-429)	278	(
	effects (E800-E807,E826-E949)	259	26.9	7	Chronic obstructive pulmonary diseases		
3	Chronic liver disease and cirrhosis (571)	385	40.0		and allied conditions (490-496)	120	(
9	Nephritis, nephrotic syndrome, and			8	Pneumonia and influenza (480-487)	114	(
	nephrosis (580-589)	344	35.7	9	Human immunodeficiency virus	0.0	
)	Alzheimer's disease (331.0)	299	31.1	40	infection (*042-*044)	82	
-	All other causes (Residual)	4,512	468.8	10	Cerebrovascular diseases (430-438)	71	(
	notes at end of table.				All other causes (Residual)	1,470	

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for non-Hispanic				Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for non-Hispanic		
Rank ¹	population, sex, and age	Number ²	Rate ²	Rank ¹	population, sex, and age	Number ²	Rate ²
				_	tel and Historia A hadh an 195		
	Total non-Hispanic ⁴ , both sexes, 15-24 years			10	tal non-Hispanic ⁴ , both sexes, 65 years and over		
	All causes	26,925	85.7		All causes	1,671,492	5,156.7
1	Accidents and adverse effects (E800-E949)	11,588	36.9	1	Diseases of heart (390-398,402,404-429)	586,642	1,809.8
	Motor vehicle accidents (E810-E825)	8,889	28.3	2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	370.907	1.144.3
	All other accidents and adverse effects (E800-E807,E826-E949)	2.699	8.6	3	Cerebrovascular diseases (430-438)	136,115	419.9
2	Homicide and legal intervention (E960-E978)	4.803	15.3	4	Chronic obstructive pulmonary diseases	,	
3	Suicide (E950-E959)	3,712	11.8		and allied conditions (490-496)	92,054	284.0
4	Malignant neoplasms, including neoplasms of			5	Pneumonia and influenza (480-487)	74,831	230.9
	lymphatic and hematopoietic tissues (140-208)	1,415	4.5	6	Diabetes mellitus (250)	44,068	136.0
5	Diseases of heart (390-398,402,404-429)	984	3.1	7	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	30,315	93.5 23.6
6 7	Congenital anomalies (740-759)	375	1.2		All other accidents and adverse	7,659	23.0
1	Human immunodeficiency virus infection (*042-*044)	234	0.7		effects (E800-E807,E826-E949)	22.656	69.9
8	Pneumonia and influenza (480-487)	187	0.7	8	Alzheimer's disease (331.0)	21,625	66.7
9	Chronic obstructive pulmonary diseases	107	0.0	9	Nephritis, nephrotic syndrome, and	,	
-	and allied conditions (490-496)	183	0.6		nephrosis (580-589)	21,074	65.0
10	Cerebrovascular diseases (430-438)	160	0.5	10	Septicemia (038)	17,485	53.9
	All other causes (Residual)	3,284	10.4		All other causes (Residual)	276,376	852.6
	Total non-Hispanic ⁴ , both sexes, 25-44 years				Total non-Hispanic ⁴ , male, all ages ³		
	All causes	120,982	163.5		All causes	1,094,541	944.0
1	Accidents and adverse effects (E800-E949)	23,777	32.1	1	Diseases of heart (390-398,402,404-429)	342,386	295.3
	Motor vehicle accidents (E810-E825)	12,424	16.8	2	Malignant neoplasms, including neoplasms of		
	All other accidents and adverse				lymphatic and hematopoietic tissues (140-208)	270,334	233.2
	effects (E800-E807,E826-E949)	11,353	15.3	3	Cerebrovascular diseases (430-438)	59,841	51.6
2	Malignant neoplasms, including neoplasms of	40.077	07.0	4	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	55,574 25,483	47.9 22.0
2	lymphatic and hematopoietic tissues (140-208) Diseases of heart (390-398,402,404-429)	19,977	27.0		All other accidents and adverse	25,465	22.0
3 4	Suicide (E950-E959)	15,505 11,523	21.0 15.6		effects (E800-E807,E826-E949)	30,091	26.0
5	Human immunodeficiency virus	11,525	13.0	5	Chronic obstructive pulmonary diseases	,	
Ü	infection (*042-*044)	9.403	12.7		and allied conditions (490-496)	54,418	46.9
6	Homicide and legal intervention (E960-E978)	7,260	9.8	6	Pneumonia and influenza (480-487)	37,483	32.3
7	Chronic liver disease and cirrhosis (571)	3,418	4.6	7	Diabetes mellitus (250)	26,017	22.4
8	Cerebrovascular diseases (430-438)	3,105	4.2	8 9	Suicide (E950-E959) Chronic liver disease and cirrhosis (571)	22,868 14,170	19.7 12.2
9	Diabetes mellitus (250)	2,278	3.1	10	Homicide and legal intervention (E960-E978)	12,515	10.8
10	Pneumonia and influenza (480-487)	1,758 22,978	2.4 31.1		All other causes (Residual)	198,935	171.6
	,	22,970	31.1		Total non-Hispanic ⁴ , male, 1-4 years	.00,000	
	Total non-Hispanic ⁴ , both sexes, 45-64 years				• • • • • •		
	All causes	354,742	691.2	1	All causes	2,642	40.7
1	Malignant neoplasms, including neoplasms of				Accidents and adverse effects (E800-E949)	1,015	15.6
_	lymphatic and hematopoietic tissues (140-208)	125,606	244.7		Motor vehicle accidents (E810-E825)	328	5.0
2	Diseases of heart (390-398,402,404-429)	96,044	187.1		effects (E800-E807,E826-E949)	687	10.6
	Accidents and adverse effects (E800-E949)	16,123	31.4	2	Congenital anomalies (740-759)	256	3.9
	All other accidents and adverse	7,482	14.6	3	Malignant neoplasms, including neoplasms of	200	0.0
	effects (E800-E807,E826-E949)	8.641	16.8		lymphatic and hematopoietic tissues (140-208)	197	3.0
4	Cerebrovascular diseases (430-438)	14,244	27.8	4	Homicide and legal intervention (E960-E978)	173	2.7
5	Chronic obstructive pulmonary diseases			5	Diseases of heart (390-398,402,404-429)	99	1.5
	and allied conditions (490-496)	12,582	24.5	6	Pneumonia and influenza (480-487)	77	1.2
6	Diabetes mellitus (250)	11,397	22.2	7	Certain conditions originating in the perinatal period (760-779)	41	0.6
7	Chronic liver disease and cirrhosis (571)	9,471	18.5	8	Cerebrovascular diseases (430-438)	31	0.6
9	Suicide (E950-E959) Pneumonia and influenza (480-487)	7,577 5,596	14.8 10.9	8	Septicemia (038)	31	0.5
10	Human immunodeficiency virus	5,550	10.5	10	Benign neoplasms, carcinoma in situ, and		2.0
	infection (*042-*044)	3,886	7.6		neoplasms of uncertain behavior and of		
	All other causes (Residual)	52,216	101.7		unspecified nature (210-239)	28	0.4
	·				All other causes (Residual)	694	10.7

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

Rank¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Total non-Hispanic ⁴ , male, 5-14 years				Total non-Hispanic ⁴ , male, 45-64 years		
	All causes	4,223	24.7		All causes	215,545	867.6
1 .	Accidents and adverse effects (E800-E949)	1,891	11.1	1	Diseases of heart (390-398,402,404-429)	67,509	271.7
	Motor vehicle accidents (E810-E825)	1,023	6.0	2	Malignant neoplasms, including neoplasms of	00.000	000.0
	All other accidents and adverse effects (E800-E807,E826-E949)	868	5.1	3	lymphatic and hematopoietic tissues (140-208) Accidents and adverse effects (E800-E949)	66,623 11,362	268.2 45.7
2	Malignant neoplasms, including neoplasms of	000	5.1		Motor vehicle accidents (E810-E825)	4,922	19.8
_	lymphatic and hematopoietic tissues (140-208)	488	2.9		All other accidents and adverse	4,522	10.0
3	Homicide and legal intervention (E960-E978)	254	1.5		effects (E800-E807,E826-E949)	6,440	25.9
4	Suicide (E950-E959)	218	1.3	4	Cerebrovascular diseases (430-438)	7,827	31.5
	Congenital anomalies (740-759)	206	1.2	5	Chronic liver disease and cirrhosis (571)	6,753	27.2
6	Diseases of heart (390-398,402,404-429)	157	0.9	6	Chronic obstructive pulmonary diseases		
7	Chronic obstructive pulmonary diseases	00	0.4	_	and allied conditions (490-496)	6,497	26.2
0	and allied conditions (490-496)	69	0.4	7	Diabetes mellitus (250)	5,974	24.0
	Pneumonia and influenza (480-487)	57	0.3	8 9	Suicide (E950-E959) Pneumonia and influenza (480-487)	5,761 3,323	23.2 13.4
9	infection (*042-*044)	52	0.3	10	Human immunodeficiency virus	3,323	13.4
10	Cerebrovascular diseases (430-438)	41	0.2	10	infection (*042-*044)	3.174	12.8
	All other causes (Residual)	790	4.6		All other causes (Residual)	30,742	123.7
	Total non-Hispanic ⁴ , male, 15-24 years			-	Total non-Hispanic ⁴ , male, 65 years and over		
	All causes	19,637	122.4		All causes	759,582	5,706.7
1 .	Accidents and adverse effects (E800-E949)	8,378	52.2	1	Diseases of heart (390-398,402,404-429)	262,762	1,974.1
	Motor vehicle accidents (E810-E825)	6,169	38.5	2	Malignant neoplasms, including neoplasms of	100 100	4 450 6
	All other accidents and adverse effects (E800-E807,E826-E949)	2 200	13.8	3	lymphatic and hematopoietic tissues (140-208)	193,102	1,450.8
2	Homicide and legal intervention (E960-E978)	2,209 4.081	25.4	4	Cerebrovascular diseases (430-438) Chronic obstructive pulmonary diseases	50,182	377.0
	Suicide (E950-E959)	3,144	19.6	4	and allied conditions (490-496)	47,124	354.0
	Malignant neoplasms, including neoplasms of	0,		5	Pneumonia and influenza (480-487)	32,667	245.4
	lymphatic and hematopoietic tissues (140-208)	838	5.2	6	Diabetes mellitus (250)	18,608	139.8
5	Diseases of heart (390-398,402,404-429)	588	3.7	7	Accidents and adverse effects (E800-E949)	14,899	111.9
	Congenital anomalies (740-759)	215	1.3		Motor vehicle accidents (E810-E825)	4,240	31.9
7	Chronic obstructive pulmonary diseases	405	0.0		All other accidents and adverse	40.050	00.4
8	and allied conditions (490-496)	125	8.0	8	effects (E800-E807,E826-E949) Nephritis, nephrotic syndrome, and	10,659	80.1
0	infection (*042-*044)	112	0.7	0	nephrosis (580-589)	9,835	73.9
9	Pneumonia and influenza (480-487)	99	0.6	9	Septicemia (038)	7,098	53.3
	Cerebrovascular diseases (430-438)	94	0.6	10	Alzheimer's disease (331.0)	6,710	50.4
	All other causes (Residual)	1,963	12.2		All other causes (Residual)	116,595	876.0
	Total non-Hispanic ⁴ , male, 25-44 years				Total non-Hispanic ⁴ , female, all ages ³		
	All causes	79,551	217.4		All causes	1,114,909	911.3
	Accidents and adverse effects (E800-E949)	17,658	48.3	1	Diseases of heart (390-398,402,404-429)	357,806	292.5
	Motor vehicle accidents (E810-E825)	8,733	23.9	2	Malignant neoplasms, including neoplasms of	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	All other accidents and adverse				lymphatic and hematopoietic tissues (140-208)	248,894	203.4
	effects (E800-E807,E826-E949)	8,925	24.4	3	Cerebrovascular diseases (430-438)	94,139	76.9
	Diseases of heart (390-398,402,404-429)	10,959	30.0	4	Chronic obstructive pulmonary diseases	54.745	40.6
	Suicide (E950-E959)	9,137	25.0	5	and allied conditions (490-496)	51,745 45,495	42.3 37.2
+	lymphatic and hematopoietic tissues (140-208)	9,044	24.7	6	Pneumonia and influenza (480-487) Diabetes mellitus (250)	45,495 31,871	26.1
5	Human immunodeficiency virus	3,044	24.1	7	Accidents and adverse effects (E800-E949)		25.8
-	infection (*042-*044)	7,244	19.8	.'	Motor vehicle accidents (E810-E825)	13,465	11.0
	Homicide and legal intervention (E960-E978)	5,525	15.1		All other accidents and adverse		
7	Chronic liver disease and cirrhosis (571)	2,314	6.3		effects (E800-E807,E826-E949)	18,137	14.8
	Cerebrovascular diseases (430-438)	1,533	4.2	8	Alzheimer's disease (331.0)	15,070	12.3
	Diabetes mellitus (250)	1,365	3.7	9	Nephritis, nephrotic syndrome, and	40.0==	4.5
	Pneumonia and influenza (480-487)	1,050	2.9	10	nephrosis (580-589)	12,670	10.4
	All other causes (Residual)	13,722	37.5	10	Septicemia (038)	12,275	10.0
	notes at end of table.				All other causes (Residual)	213,342	174.4

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for				Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²
	Total non-Hispanic ⁴ , female, 1-4 years				Total non-Hispanic ⁴ , female, 25-44 years		
	All causes	2,004	32.3		All causes	41,431	110.8
	Accidents and adverse effects (E800-E949)	677	10.9	1	Malignant neoplasms, including neoplasms of		
	Motor vehicle accidents (E810-E825)	279	4.5		lymphatic and hematopoietic tissues (140-208)	10,933	29.2
	All other accidents and adverse	200	C 4	2	Accidents and adverse effects (E800-E949)	6,119 3,691	16.4 9.9
2	effects (E800-E807,E826-E949)	398 232	6.4 3.7		All other accidents and adverse	3,031	3.3
	Malignant neoplasms, including neoplasms of	232	5.7		effects (E800-E807,E826-E949)	2,428	6.5
-	lymphatic and hematopoietic tissues (140-208)	168	2.7	3	Diseases of heart (390-398,402,404-429)	4,546	12.2
4	Homicide and legal intervention (E960-E978)	135	2.2	4	Suicide (E950-E959)	2,386	6.4
	Diseases of heart (390-398,402,404-429)	79	1.3	5	Human immunodeficiency virus infection (*042-*044)	2,159	5.8
7	Pneumonia and influenza (480-487)	72	1.2 0.5	6	Homicide and legal intervention (E960-E978)	1,735	4.6
	Septicemia (038)Benign neoplasms, carcinoma in situ, and	31	0.5	7	Cerebrovascular diseases (430-438)	1,572	4.2
O	neoplasms of uncertain behavior and of			8	Chronic liver disease and cirrhosis (571)	1,104	3.0
	unspecified nature (210-239)	27	0.4	9	Diabetes mellitus (250)	913	2.4
8	Human immunodeficiency virus			10	Pneumonia and influenza (480-487)	708	1.9
40	infection (*042-*044)	27	0.4		All other causes (Residual)	9,256	24.8
10	Certain conditions originating in the perinatal period (760-779)	23	0.4		Total non-Hispanic ⁴ , female, 45-64 years		
	All other causes (Residual)	533	8.6		, , , , , , , , , , , , , , , , , , , ,		
	, iii oiii oi oaaooo (1 tootaaa)	000	0.0		All causes	139,197	525.7
	Total non-Hispanic ⁴ , female, 5-14 years			1	Malignant neoplasms, including neoplasms of		
					lymphatic and hematopoietic tissues (140-208)	58,983	222.8
	All causes	2,875	17.7	2 3	Diseases of heart (390-398,402,404-429) Cerebrovascular diseases (430-438)	28,535 6,417	107.8 24.2
	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	1,129 725	6.9 4.5	4	Chronic obstructive pulmonary diseases	0,417	24.2
	All other accidents and adverse	725	4.5		and allied conditions (490-496)	6,085	23.0
	effects (E800-E807,E826-E949)	404	2.5	5	Diabetes mellitus (250)	5,423	20.5
2	Malignant neoplasms, including neoplasms of			6	Accidents and adverse effects (E800-E949)	4,761	18.0
	lymphatic and hematopoietic tissues (140-208)	389	2.4		Motor vehicle accidents (E810-E825)	2,560	9.7
	Congenital anomalies (740-759)	177	1.1		effects (E800-E807,E826-E949)	2,201	8.3
	Homicide and legal intervention (E960-E978) Diseases of heart (390-398,402,404-429)	145 121	0.9 0.7	7	Chronic liver disease and cirrhosis (571)	2,718	10.3
6	Suicide (E950-E959)	66	0.4	8	Pneumonia and influenza (480-487)	2,273	8.6
7	Pneumonia and influenza (480-487)	57	0.4	9	Suicide (E950-E959)	1,816	6.9
8	Chronic obstructive pulmonary diseases			10	Septicemia (038)	1,345	5.1
0	and allied conditions (490-496)	51	0.3		All other causes (Residual)	20,841	78.7
9	Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of			-	Total non-Hispanic 4, female, 65 years and over		
	unspecified nature (210-239)	38	0.2				
10	Anemias (280-285)	30	0.2		All causes	911,910	4,773.5
10	Cerebrovascular diseases (430-438)	30	0.2	1	Diseases of heart (390-398,402,404-429)	323,880	1,695.4
10	Human immunodeficiency virus	00		2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	177,805	930.7
	infection (*042-*044) All other causes (Residual)	30 612	0.2 3.8	3	Cerebrovascular diseases (430-438)	85,933	449.8
	All other causes (ivestidual)	012	5.0	4	Chronic obstructive pulmonary diseases	,	
	Total non-Hispanic ⁴ , female, 15-24 years				and allied conditions (490-496)	44,930	235.2
				5	Pneumonia and influenza (480-487)	42,164	220.7
	All causes	7,288	47.4	6 7	Diabetes mellitus (250)	25,460 15,416	133.3 80.7
	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	3,210 2,720	20.9 17.7		Motor vehicle accidents (E810-E825)	3,419	17.9
	All other accidents and adverse	2,720	17.7		All other accidents and adverse	,	
	effects (E800-E807,E826-E949)	490	3.2		effects (E800-E807,E826-E949)		62.8
	Homicide and legal intervention (E960-E978)	722	4.7	8	Alzheimer's disease (331.0)	14,915	78.1
3	Malignant neoplasms, including neoplasms of		0.7	9	Nephritis, nephrotic syndrome, and nephrosis (580-589)	11,239	58.8
4	lymphatic and hematopoietic tissues (140-208) Suicide (E950-E959)	577 568	3.7 3.7	10	Septicemia (038)	10,387	54.4
	Diseases of heart (390-398,402,404-429)	396	2.6		All other causes (Residual)	159,781	836.4
6	Congenital anomalies (740-759)	160	1.0		. ,	,	
	Human immunodeficiency virus		-				
_	infection (*042-*044)	122	0.8				
	Pneumonia and influenza (480-487)	88	0.6				
9	Complications of pregnancy, childbirth, and the puerperium (630-676)	67	0.4				
10	Cerebrovascular diseases (430-438)	66	0.4				
	All other causes (Residual)	1,312	8.5	1			

See footnotes at end of table.

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race fo				Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²
	2						
	White non-Hispanic, both sexes, all ages ³				White non-Hispanic, both sexes, 15-24 years		
	All causes	1,895,461	974.2	1	All causes	18,105	74.2
1	Diseases of heart (390-398,402,404-429)	613,508	315.3	1	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	9,424	38.6 29.9
2	lymphatic and hematopoietic tissues (140-208)	448,836	230.7		All other accidents and adverse	7,306	29.8
3	Cerebrovascular diseases (430-438)	132,683	68.2		effects (E800-E807,E826-E949)	2,118	8.7
4	Chronic obstructive pulmonary diseases	,		2	Suicide (E950-E959)	2,994	12.3
	and allied conditions (490-496)	97,993	50.4	3	Homicide and legal intervention (E960-E978)	1,149	4.7
5	Pneumonia and influenza (480-487)	73,526	37.8	4	Malignant neoplasms, including neoplasms of		
6	Accidents and adverse effects (E800-E949)	71,749	36.9	_	lymphatic and hematopoietic tissues (140-208)	1,059	4.3
	Motor vehicle accidents (E810-E825)	31,717	16.3	5 6	Diseases of heart (390-398,402,404-429)	609 262	2.5 1.1
	effects (E800-E807,E826-E949)	40,032	20.6	7	Congenital anomalies (740-759) Pneumonia and influenza (480-487)	123	0.5
7	Diabetes mellitus (250)	45,223	23.2	8	Chronic obstructive pulmonary diseases	120	0.0
8	Suicide (E950-E959)	25,699	13.2		and allied conditions (490-496)	108	0.4
9	Alzheimer's disease (331.0)	20,664	10.6	8	Cerebrovascular diseases (430-438)	108	0.4
10	Nephritis, nephrotic syndrome, and			10	Benign neoplasms, carcinoma in situ, and		
	nephrosis (580-589)	19,730	10.1		neoplasms of uncertain behavior and of		
	All other causes (Residual)	345,850	177.7		unspecified nature (210-239)	73	0.3
	White non-Hispanic, both sexes, 1-4 years				All other causes (Residual)	2,196	9.0
		2.022	24.4		White non-Hispanic, both sexes, 25-44 years		
1	All causes	3,032 1,141	31.1 11.7		All	04.040	440.4
	Motor vehicle accidents (E810-E825)	392	4.0	1 1	All causes Accidents and adverse effects (E800-E949)	84,013 18,564	140.4 31.0
	All other accidents and adverse	002	4.0	.'.	Motor vehicle accidents (E810-E825)	9,700	16.2
	effects (E800-E807,E826-E949)	749	7.7		All other accidents and adverse	3,700	10.2
2	Congenital anomalies (740-759)	341	3.5		effects (E800-E807,E826-E949)	8,864	14.8
3	Malignant neoplasms, including neoplasms of			2	Malignant neoplasms, including neoplasms of	0,00.	
	lymphatic and hematopoietic tissues (140-208)	268	2.8		lymphatic and hematopoietic tissues (140-208)	15,223	25.4
4	Homicide and legal intervention (E960-E978)	151	1.6	3	Diseases of heart (390-398,402,404-429)	10,814	18.1
5	Diseases of heart (390-398,402,404-429)	110	1.1	4	Suicide (E950-E959)	10,150	17.0
6	Pneumonia and influenza (480-487)	89	0.9	5	Human immunodeficiency virus		
7	Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of				infection (*042-*044)(5000-5070)	3,798	6.3
	unspecified nature (210-239)	46	0.5	6 7	Homicide and legal intervention (E960-E978)	2,920	4.9 4.5
8	Septicemia (038)	38	0.4	8	Chronic liver disease and cirrhosis (571) Cerebrovascular diseases (430-438)	2,677 1,841	3.1
9	Meningococcal infection (036)	32	0.3	9	Diabetes mellitus (250)	1,551	2.6
10	Certain conditions originating in the perinatal			10	Pneumonia and influenza (480-487)	1.131	1.9
	period (760-779)	30	0.3		All other causes (Residual)	15,344	25.6
10	Cerebrovascular diseases (430-438)	_30	0.3		, ,		
	All other causes (Residual)	756	7.8		White non-Hispanic, both sexes, 45-64 years		
	White non-Hispanic, both sexes, 5-14 years				All causes	278,131	637.5
	All courses	4.070	10.0	1	Malignant neoplasms, including neoplasms of	100	
1	All causes	4,878 2,114	19.0 8.2		lymphatic and hematopoietic tissues (140-208)	103,077	236.3
	Motor vehicle accidents (E810-E825)	1,303	5.1	2 3	Diseases of heart (390-398,402,404-429)	75,179 12,836	172.3 29.4
	All other accidents and adverse	1,000	0.1		Motor vehicle accidents (E810-E825)	6,094	14.0
	effects (E800-E807,E826-E949)	811	3.2		All other accidents and adverse	0,034	14.0
2	Malignant neoplasms, including neoplasms of				effects (E800-E807,E826-E949)	6,742	15.5
	lymphatic and hematopoietic tissues (140-208)	682	2.7	4	Chronic obstructive pulmonary diseases	-,- :-	
3	Congenital anomalies (740-759)	272	1.1		and allied conditions (490-496)	10,923	25.0
4	Suicide (E950-E959)(F060-E978)	234	0.9	5 6	Cerebrovascular diseases (430-438)	9,584	22.0
5 6	Homicide and legal intervention (E960-E978) Diseases of heart (390-398,402,404-429)	190	0.7	6	Diabetes mellitus (250)	7,812	17.9
6 7	Pneumonia and influenza (480-487)	186 78	0.7 0.3	7	Chronic liver disease and cirrhosis (571)	7,608	17.4
8	Chronic obstructive pulmonary diseases	10	0.3	8	Suicide (E950-E959)	7,049	16.2
J	and allied conditions (490-496)	52	0.2	9	Pneumonia and influenza (480-487) Septicemia (038)	4,145 1,888	9.5 4.3
9	Cerebrovascular diseases (430-438)	49	0.2	10	All other causes (Residual)	38,030	87.2
10	Benign neoplasms, carcinoma in situ, and			1	/ III Out of Oddood (1100)dddl/	55,050	01.2
	neoplasms of uncertain behavior and of						
	unspecified nature (210-239)	44	0.2				
	All other causes (Residual)	977	3.8				
				1			

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race t	or			Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²
Wh	ite non-Hispanic, both sexes, 65 years and over				White non-Hispanic, male, 5-14 years		
		4 400 005	F 470 0			0.050	00
1	All causes	1,493,035 526,244	5,172.3 1,823.1	1	All causesAccidents and adverse effects (E800-E949)	2,959 1.347	22. 10.
2	Malignant neoplasms, including neoplasms of	520,244	1,023.1		Motor vehicle accidents (E810-E825)	773	5.
_	lymphatic and hematopoietic tissues (140-208)	328,474	1,137.9		All other accidents and adverse	110	0.
3	Cerebrovascular diseases (430-438)	120,917	418.9		effects (E800-E807,E826-E949)	574	4.
4	Chronic obstructive pulmonary diseases			2	Malignant neoplasms, including neoplasms of		
	and allied conditions (490-496)	86,175	298.5		lymphatic and hematopoietic tissues (140-208)	380	2.
5	Pneumonia and influenza (480-487)	67,773	234.8	3	Suicide (E950-E959)	180	1.
6	Diabetes mellitus (250)	35,769	123.9	4	Congenital anomalies (740-759)	153	1.
7	Accidents and adverse effects (E800-E949)	27,268	94.5	5	Homicide and legal intervention (E960-E978)	116	0.
	Motor vehicle accidents (E810-E825)	6,830	23.7	6 7	Diseases of heart (390-398,402,404-429)	112	0.
• •	All other accidents and adverse effects (E800-E807,E826-E949)	20,438	70.8	8	Pneumonia and influenza (480-487) Chronic obstructive pulmonary diseases	40	0.
8	Alzheimer's disease (331.0)	20,384	70.6	0	and allied conditions (490-496)	33	0.
9	Nephritis, nephrotic syndrome, and	20,001	70.0	9	Cerebrovascular diseases (430-438)	28	0.
•	nephrosis (580-589)	17,717	61.4	10	Benign neoplasms, carcinoma in situ, and		0.
0	Septicemia (038)	14,419	50.0		neoplasms of uncertain behavior and of		
	All other causes (Residual)	247,895	858.8		unspecified nature (210-239)	18	
	, ,				All other causes (Residual)	552	4.
	White non-Hispanic, male, all ages ³				White non-Hispanic, male, 15-24 years		
	All causes	929,703	977.3		Willo Holl Fliopallo, Maio, 10 21 youro		
	Diseases of heart (390-398,402,404-429)	299,693	315.0		All causes	12,863	102
2	Malignant neoplasms, including neoplasms of	,		1	Accidents and adverse effects (E800-E949)	6,762	54
	lymphatic and hematopoietic tissues (140-208)	232,789	244.7		Motor vehicle accidents (E810-E825)	5,027	40
3	Cerebrovascular diseases (430-438)	50,525	53.1		All other accidents and adverse		
4	Chronic obstructive pulmonary diseases				effects (E800-E807,E826-E949)	1,735	13
	and allied conditions (490-496)	49,674	52.2	2	Suicide (E950-E959)	2,535	20
5	Accidents and adverse effects (E800-E949)	45,226	47.5	3	Homicide and legal intervention (E960-E978)	818	6
	Motor vehicle accidents (E810-E825)	20,651	21.7	4	Malignant neoplasms, including neoplasms of	000	_
	All other accidents and adverse	04.575	25.0	5	lymphatic and hematopoietic tissues (140-208)	636	5
6	effects (E800-E807,E826-E949) Pneumonia and influenza (480-487)	24,575 32,658	25.8 34.3	6	Diseases of heart (390-398,402,404-429) Congenital anomalies (740-759)	363 149	2
7	Diabetes mellitus (250)	20,849	21.9	7	Chronic obstructive pulmonary diseases	149	1
В	Suicide (E950-E959)	20,470	21.5	'	and allied conditions (490-496)	75	0
9	Chronic liver disease and cirrhosis (571)	11,997	12.6	8	Pneumonia and influenza (480-487)	67	ő
0	Nephritis, nephrotic syndrome, and	,	.2.0		Cerebrovascular diseases (430-438)	65	Ö
	nephrosis (580-589)	9,555	10.0	10	Benign neoplasms, carcinoma in situ, and		
	All other causes (Residual)	156,267	164.3		neoplasms of uncertain behavior and of		
	,				unspecified nature (210-239)	43	0
	White non-Hispanic, male, 1-4 years				All other causes (Residual)	1,350	10
	All causes	1,737	34.8		White non-Hispanic, male, 25-44 years		
1	Accidents and adverse effects (E800-E949)	698	14.0		•		
	Motor vehicle accidents (E810-E825)	210	4.2		All causes	56,047	187
	All other accidents and adverse			1	Accidents and adverse effects (E800-E949)	13,857	46
_	effects (E800-E807,E826-E949)	488	9.8		Motor vehicle accidents (E810-E825)	6,818	22
2	Congenital anomalies (740-759)	178	3.6		All other accidents and adverse	7.000	00
3	Malignant neoplasms, including neoplasms of	115	2.9	2	effects (E800-E807,E826-E949)	7,039 8,007	23 26
1	lymphatic and hematopoietic tissues (140-208) Homicide and legal intervention (E960-E978)	145 87	1.7	3	Suicide (E950-E959) Diseases of heart (390-398,402,404-429)	7,994	26
	Diseases of heart (390-398,402,404-429)	54	1.1	4	Malignant neoplasms, including neoplasms of	7,994	20
;	Pneumonia and influenza (480-487)	44	0.9	7	lymphatic and hematopoietic tissues (140-208)	6,967	23
7	Benign neoplasms, carcinoma in situ, and	77	0.0	5	Human immunodeficiency virus	3,307	20
	neoplasms of uncertain behavior and of				infection (*042-*044)	3,288	11
	unspecified nature (210-239)	23	0.5	6	Homicide and legal intervention (E960-E978)	2,057	
3	Septicemia (038)	22	0.4	7	Chronic liver disease and cirrhosis (571)	1,864	6
9	Certain conditions originating in the perinatal			8	Diabetes mellitus (250)	941	3
	period (760-779)	18	*	9	Cerebrovascular diseases (430-438)	938	3
9	Meningococcal infection (036)	18	*	10	Pneumonia and influenza (480-487)	680	2
	All other causes (Residual)	450	9.0		All other causes (Residual)	9,454	31

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²
	White non-Hispanic, male, 45-64 years				White non-Hispanic, female, 1-4 years		
	write non-hispatiic, male, 45-64 years				, , , ,		
	All causes	170,270	796.6	1	All causes	1,295 443	27.3 9.3
	Diseases of heart (390-398,402,404-429)	54,375	254.4	.'.	Motor vehicle accidents (E810-E825)	182	3.8
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	54,332	254.2		All other accidents and adverse	102	0.0
3	Accidents and adverse effects (E800-E949)	9,045	42.3		effects (E800-E807,E826-E949)	261	5.
	Motor vehicle accidents (E810-E825)	4,013	18.8	2	Congenital anomalies (740-759)	163	3.4
	All other accidents and adverse			3	Malignant neoplasms, including neoplasms of	400	0
	effects (E800-E807,E826-E949)	5,032	23.5	4	lymphatic and hematopoietic tissues (140-208) Homicide and legal intervention (E960-E978)	123 64	2. 1.
4	Chronic obstructive pulmonary diseases	F 600	26.2	5	Diseases of heart (390-398,402,404-429)	56	1.3
5	and allied conditions (490-496)	5,600 5,472	26.2 25.6	6	Pneumonia and influenza (480-487)	45	0.
	Suicide (E950-E959)	5,364	25.1	7	Benign neoplasms, carcinoma in situ, and		
	Cerebrovascular diseases (430-438)	5,251	24.6		neoplasms of uncertain behavior and of		
8	Diabetes mellitus (250)	4,274	20.0		unspecified nature (210-239)	23	0.
	Pneumonia and influenza (480-487)	2,414	11.3	8 9	Septicemia (038) Meningococcal infection (036)	16 14	
10	Human immunodeficiency virus infection (*042-*044)	4.000	0.4	10	Cerebrovascular diseases (430-438)	13	
	All other causes (Residual)	1,366 22,777	6.4 106.6	10	Meningitis (320-322)	13	
	All other causes (Residual)	22,111	100.0		All other causes (Residual)	322	6.
'	White non-Hispanic, male, 65 years and over				White non-Hispanic, female, 5-14 years		
	All causes	677,636	5,693.6		•		
	Diseases of heart (390-398,402,404-429)	236,584	1,987.8	1	All causesAccidents and adverse effects (E800-E949)	1,919	15.
2	Malignant neoplasms, including neoplasms of	470.000	4 400 0	.'.	Motor vehicle accidents (E810-E825)	767 530	6. 4.:
3	lymphatic and hematopoietic tissues (140-208) Cerebrovascular diseases (430-438)	170,303 44,140	1,430.9 370.9		All other accidents and adverse	330	7
	Chronic obstructive pulmonary diseases	44,140	370.9		effects (E800-E807,E826-E949)	237	1.
7	and allied conditions (490-496)	43,613	366.4	2	Malignant neoplasms, including neoplasms of		
5	Pneumonia and influenza (480-487)	29,289	246.1		lymphatic and hematopoietic tissues (140-208)	302	2.
6	Diabetes mellitus (250)	15,592	131.0	3	Congenital anomalies (740-759)	119	1.
7	Accidents and adverse effects (E800-E949)	13,296	111.7	4 4	Diseases of heart (390-398,402,404-429) Homicide and legal intervention (E960-E978)	74 74	0. 0.
	Motor vehicle accidents (E810-E825)	3,768	31.7	6	Suicide (E950-E959)	54	0.4
	All other accidents and adverse effects (E800-E807,E826-E949)	9,528	80.1	7	Pneumonia and influenza (480-487)	38	0.
8	Nephritis, nephrotic syndrome, and	3,320	00.1	8	Benign neoplasms, carcinoma in situ, and		
Ü	nephrosis (580-589)	8,428	70.8		neoplasms of uncertain behavior and of		
9	Alzheimer's disease (331.0)	6,267	52.7		unspecified nature (210-239)	26	0.3
10	Septicemia (038)	5,835	49.0	9	Cerebrovascular diseases (430-438) Chronic obstructive pulmonary diseases	21	0.2
	All other causes (Residual)	104,289	876.3	10	and allied conditions (490-496)	19	
	White non-Hispanic, female, all ages ³				All other causes (Residual)	425	3.4
	All causes	965,758	971.2		White non-Hispanic, female, 15-24 years		
1	All causes	313,815	315.6		• • • • • •		
	Malignant neoplasms, including neoplasms of	0.0,0.0	0.0.0		All causes	5,242	44.
	lymphatic and hematopoietic tissues (140-208)	216,047	217.3	1	Accidents and adverse effects (E800-E949)	2,662	22.
	Cerebrovascular diseases (430-438)	82,158	82.6		Motor vehicle accidents (E810-E825)	2,279	19.
4	Chronic obstructive pulmonary diseases	10.010	40.0		effects (E800-E807,E826-E949)	383	3.2
_	and allied conditions (490-496)	48,319	48.6	2	Suicide (E950-E959)	459	3.
	Pneumonia and influenza (480-487)	40,868 26,523	41.1 26.7	3	Malignant neoplasms, including neoplasms of	.00	3.
	Motor vehicle accidents (E810-E825)	11,066	11.1		lymphatic and hematopoietic tissues (140-208)	423	3.
	All other accidents and adverse	,		4	Homicide and legal intervention (E960-E978)	331	2.
	effects (E800-E807,E826-E949)	15,457	15.5	5	Diseases of heart (390-398,402,404-429)	246	2.
7	Diabetes mellitus (250)	24,374	24.5	6 7	Congenital anomalies (740-759)	113	1. 0.
	Alzheimer's disease (331.0)	14,256	14.3	8	Pneumonia and influenza (480-487) Cerebrovascular diseases (430-438)	56 43	0.
9	Nephritis, nephrotic syndrome, and nephrosis (580-589)	10,175	10.2	9	Diabetes mellitus (250)	35	0.3
10	Septicemia (038)	9,754	9.8	10	Chronic obstructive pulmonary diseases	30	0.
	All other causes (Residual)	179,469	180.5		and allied conditions (490-496)	33	0.3
	,	-,			All other causes (Residual)	841	7.

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²
	White non-Hispanic, female, 25-44 years				Black non-Hispanic, both sexes, all ages ³		
	All causes	27,966	93.5		All causes	273,381	846.4
1	Malignant neoplasms, including neoplasms of	0.050	27.0	1 2	Diseases of heart (390-398,402,404-429)	76,288	236.2
2	lymphatic and hematopoietic tissues (140-208) Accidents and adverse effects (E800-E949)	8,256 4,707	27.6 15.7	2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	60,798	188.
	Motor vehicle accidents (E810-E825)	2,882	9.6	3	Cerebrovascular diseases (430-438)	18,002	55.
	All other accidents and adverse	2,002	0.0	4	Accidents and adverse effects (E800-E949)	12,445	38.
	effects (E800-E807,E826-E949)	1,825	6.1		Motor vehicle accidents (E810-E825)	5,572	17.
3	Diseases of heart (390-398,402,404-429)	2,820	9.4		All other accidents and adverse		
4	Suicide (E950-E959)	2,143	7.2	_	effects (E800-E807,E826-E949)	6,873	21.3
5 6	Cerebrovascular diseases (430-438)	903 863	3.0 2.9	5 6	Diabetes mellitus (250)(E060 E079)	11,029	34.
7	Homicide and legal intervention (E960-E978) Chronic liver disease and cirrhosis (571)	813	2.9	7	Homicide and legal intervention (E960-E978) Human immunodeficiency virus	9,091	28.
8	Diabetes mellitus (250)	610	2.0	'	infection (*042-*044)	8,350	25.9
	Human immunodeficiency virus	010	2.0	8	Pneumonia and influenza (480-487)	7,826	24.2
Ü	infection (*042-*044)	510	1.7	9	Chronic obstructive pulmonary diseases	.,	
10	Pneumonia and influenza (480-487)	451	1.5		and allied conditions (490-496)	6,845	21.2
	All other causes (Residual)	5,890	19.7	10	Certain conditions originating in the perinatal		
	White non-Hispanic, female, 45-64 years				period (760-779)	4,561 58.146	14.1 180.0
					, ,	30,140	100.
	All causes	107,861	484.7		Black non-Hispanic, both sexes, 1-4 years		
'	lymphatic and hematopoietic tissues (140-208)	48,745	219.1		All causes	1,351	61.8
2	Diseases of heart (390-398,402,404-429)	20,804	93.5	1	Accidents and adverse effects (E800-E949)	441	20.2
	Chronic obstructive pulmonary diseases	20,00	00.0		Motor vehicle accidents (E810-E825)	172	7.
	and allied conditions (490-496)	5,323	23.9		All other accidents and adverse		
	Cerebrovascular diseases (430-438)	4,333	19.5		effects (E800-E807,E826-E949)	269	12.
5	Accidents and adverse effects (E800-E949)	3,791	17.0	2	Homicide and legal intervention (E960-E978)	141	6.
	Motor vehicle accidents (E810-E825)	2,081	9.4	3	Congenital anomalies (740-759)	109	5.
	All other accidents and adverse effects (E800-E807,E826-E949)	1,710	7.7	4	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	71	3.
6	Diabetes mellitus (250)	3,538	15.9	5	Diseases of heart (390-398,402,404-429)	63	2.
7	Chronic liver disease and cirrhosis (571)	2,136	9.6	6	Pneumonia and influenza (480-487)	50	2.
	Pneumonia and influenza (480-487)	1,731	7.8	7	Human immunodeficiency virus	00	
9	Suicide (E950-E959)	1,685	7.6		infection (*042-*044)	37	1.
10	Septicemia (038)	870	3.9	8	Certain conditions originating in the perinatal		
	All other causes (Residual)	14,905	67.0	_	period (760-779)	33	1.5
	# 1			9	Anemias (280-285)	28	1.3
V	/hite non-Hispanic, female, 65 years and over			10 10	Septicemia (038)	21	1.0
	All causes	815,399	4,806.6	10	Chronic obstructive pulmonary diseases and allied conditions (490-496)	21	1.0
	Diseases of heart (390-398,402,404-429)	289,660	1,707.5		All other causes (Residual)	336	15.4
	Malignant neoplasms, including neoplasms of	200,000	1,707.0		711 Other oddood (Noorddar)	000	
	lymphatic and hematopoietic tissues (140-208)	158,171	932.4		Black non-Hispanic, both sexes, 5-14 years		
	Cerebrovascular diseases (430-438)	76,777	452.6				
4	Chronic obstructive pulmonary diseases				All causes	1,863	32.
_	and allied conditions (490-496)	42,562	250.9	1	Accidents and adverse effects (E800-E949)	739	12.
5	Pneumonia and influenza (480-487)	38,484	226.9		Motor vehicle accidents (E810-E825)	366	6.
	Diabetes mellitus (250)	20,177 14,117	118.9 83.2		All other accidents and adverse effects (E800-E807,E826-E949)	373	6.
8	Alzheimer's disease (331.0)	13,972	82.4	2	Homicide and legal intervention (E960-E978)	179	3.
	Motor vehicle accidents (E810-E825)	3,062	18.0	3	Malignant neoplasms, including neoplasms of	170	0.
	All other accidents and adverse	3,302	. 5.0		lymphatic and hematopoietic tissues (140-208)	148	2.
	effects (E800-E807,E826-E949)	10,910	64.3	4	Congenital anomalies (740-759)	95	1.
9	Nephritis, nephrotic syndrome, and			5	Diseases of heart (390-398,402,404-429)	83	1.
	nephrosis (580-589)	9,289	54.8	6	Chronic obstructive pulmonary diseases		
	Atherosclerosis (440)	8,806	51.9	_	and allied conditions (490-496)	63	1.
	All other causes (Residual)	143,384	845.2	7	Human immunodeficiency virus	F0	4
See foot	notes at end of table.			8	infection (*042-*044)	59 40	1. 0.
J00 100l	notes at one of table.			8	Suicide (E950-E959)	40	0.
				10	Pneumonia and influenza (480-487)	32	0.6
					All other causes (Residual)	385	6.

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Black non-Hispanic, both sexes, 15-24 years			Bia	ack non-Hispanic, both sexes, 65 years and over		
	All causes	7,617	144.1		All causes	153,930	5,656.
1	Homicide and legal intervention (E960-E978)	3,469	65.6	1	Diseases of heart (390-398,402,404-429)	52,649	1,934.
2	Accidents and adverse effects (E800-E949)	1,658	31.4	2	Malignant neoplasms, including neoplasms of	00.054	4.054
	Motor vehicle accidents (E810-E825) All other accidents and adverse	1,205	22.8	3	lymphatic and hematopoietic tissues (140-208) Cerebrovascular diseases (430-438)	36,851 12,691	1,354. 466.
• •	effects (E800-E807,E826-E949)	453	8.6	4	Diabetes mellitus (250)	7,149	262.
3	Suicide (E950-E959)	503	9.5	5	Pneumonia and influenza (480-487)	5,709	209.
4	Diseases of heart (390-398,402,404-429)	336	6.4	6	Chronic obstructive pulmonary diseases	-,	
5	Malignant neoplasms, including neoplasms of				and allied conditions (490-496)	4,819	177.
	lymphatic and hematopoietic tissues (140-208)	287	5.4	7	Nephritis, nephrotic syndrome, and		
6	Human immunodeficiency virus				nephrosis (580-589)	3,052	112.
-	infection (*042-*044)	173	3.3	8	Septicemia (038)	2,848	104.
7 8	Congenital anomalies (740-759)	96	1.8	9	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	2,429 591	89. 21.
0	and allied conditions (490-496)	64	1.2		All other accidents and adverse	391	21.
9	Pneumonia and influenza (480-487)	55	1.0		effects (E800-E807,E826-E949)	1,838	67.
10	Anemias (280-285)	53	1.0	10	Hypertension with or without renal	1,000	0
	All other causes (Residual)	923	17.5		disease (401,403)	2,070	76.
					All other causes (Residual)	23,663	869.
	Black non-Hispanic, both sexes, 25-44 years				Black non-Hispanic, male, all ages ³		
	All causes	32,860	320.1		black non-inspanic, male, all ages		
1	Human immunodeficiency virus	,			All causes	142,241	930.
	infection (*042-*044)	5,500	53.6	1	Diseases of heart (390-398,402,404-429)	36,739	240.
2	Diseases of heart (390-398,402,404-429)	4,259	41.5	2	Malignant neoplasms, including neoplasms of		
3	Accidents and adverse effects (E800-E949)	4,211	41.0		lymphatic and hematopoietic tissues (140-208)	32,418	212.
	Motor vehicle accidents (E810-E825)	2,114	20.6	3	Accidents and adverse effects (E800-E949)	8,418	55
• •	All other accidents and adverse	0.007	00.4		Motor vehicle accidents (E810-E825)	3,821	25.
4	effects (E800-E807,E826-E949) Homicide and legal intervention (E960-E978)	2,097 4,065	20.4 39.6		All other accidents and adverse effects (E800-E807,E826-E949)	4,597	30.
5	Malignant neoplasms, including neoplasms of	4,005	39.0	4	Cerebrovascular diseases (430-438)	7,726	50.
J	lymphatic and hematopoietic tissues (140-208)	3,987	38.8	5	Homicide and legal intervention (E960-E978)	7,468	48.
6	Cerebrovascular diseases (430-438)	1,120	10.9	6	Human immunodeficiency virus	7,100	
7	Suicide (E950-E959)	998	9.7		infection (*042-*044)	5,950	38.
8	Diabetes mellitus (250)	673	6.6	7	Diabetes mellitus (250)	4,399	28.
9	Pneumonia and influenza (480-487)	576	5.6	8	Chronic obstructive pulmonary diseases		
10	Chronic liver disease and cirrhosis (571)	554	5.4		and allied conditions (490-496)	3,928	25.
	All other causes (Residual)	6,917	67.4	9	Pneumonia and influenza (480-487)	3,921	25.
	Diselvan Historia beth seven 45 C4 vers			10	Certain conditions originating in the perinatal period (760-779)	2.535	16.
	Black non-Hispanic, both sexes, 45-64 years				All other causes (Residual)	28,739	188.
	All causes	67,413	1,213.4		7 iii otror oddoo (rtooldda)	20,700	100.
1	Malignant neoplasms, including neoplasms of	- ,	,		Black non-Hispanic, male, 1-4 years		
	lymphatic and hematopoietic tissues (140-208)	19,436	349.9				
2	Diseases of heart (390-398,402,404-429)	18,726	337.1	1 - ; -	All causes	776	70.
3	Cerebrovascular diseases (430-438)	4,038	72.7	1	Accidents and adverse effects (E800-E949)	261	23.
4	Diabetes mellitus (250)	3,155	56.8		Motor vehicle accidents (E810-E825)	101	9.
5	Accidents and adverse effects (E800-E949)	2,736	49.2		All other accidents and adverse effects (E800-E807,E826-E949)	160	14.
• •	Motor vehicle accidents (E810-E825) All other accidents and adverse	1,084	19.5	2	Homicide and legal intervention (E960-E978)	80	7.
• •	effects (E800-E807,E826-E949)	1,652	29.7	3	Congenital anomalies (740-759)	58	5.
6	Human immunodeficiency virus	1,002	20.1	4	Diseases of heart (390-398,402,404-429)	43	3.
-	infection (*042-*044)	2,339	42.1	5	Malignant neoplasms, including neoplasms of		
7	Chronic liver disease and cirrhosis (571)	1,567	28.2		lymphatic and hematopoietic tissues (140-208)	41	3.
8	Chronic obstructive pulmonary diseases			6	Pneumonia and influenza (480-487)	28	2
_	and allied conditions (490-496)	1,455	26.2	7	Certain conditions originating in the perinatal		_
9	Pneumonia and influenza (480-487)	1,263	22.7	_	period (760-779)	22	2.
10	Septicemia (038)	903	16.3	8	Anemias (280-285)	21	1.
• •	All other causes (Residual)	11,795	212.3	9	Chronic obstructive pulmonary diseases and allied conditions (490-496)	18	
See foo	tnotes at end of table.			10	Cerebrovascular diseases (430-438)	14	
,50 100	and the state of tubio.			10	Human immunodeficiency virus	14	
					infection (*042-*044)	14	
					All other causes (Residual)	176	15.

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Black non-Hispanic, male, 5-14 years				Black non-Hispanic, male, 45-64 years		
	All causes	1,061	36.3		All causes	39,753	1,609.6
1	Accidents and adverse effects (E800-E949)	450	15.4	1	Diseases of heart (390-398,402,404-429)	11,593	469.
	Motor vehicle accidents (E810-E825)	211	7.2	2	Malignant neoplasms, including neoplasms of		
	All other accidents and adverse				lymphatic and hematopoietic tissues (140-208)	10,639	430.
0	effects (E800-E807,E826-E949)	239	8.2	3 4	Cerebrovascular diseases (430-438) Accidents and adverse effects (E800-E949)	2,245 1,950	90. 79.
2	Homicide and legal intervention (E960-E978) Malignant neoplasms, including neoplasms of	117	4.0		Motor vehicle accidents (E810-E825)	735	29.
5	lymphatic and hematopoietic tissues (140-208)	76	2.6		All other accidents and adverse		
4	Congenital anomalies (740-759)	45	1.5		effects (E800-E807,E826-E949)	1,215	49.
5	Diseases of heart (390-398,402,404-429)	44	1.5	5	Human immunodeficiency virus	4 704	70
6	Human immunodeficiency virus	20	4.0	6	infection (*042-*044)	1,784 1,471	72. 59.
7	infection (*042-*044)	36	1.2	7	Chronic liver disease and cirrhosis (571)	1,089	44.1
,	and allied conditions (490-496)	32	1.1	8	Pneumonia and influenza (480-487)	799	32.4
8	Suicide (E950-E959)	28	1.0	9	Chronic obstructive pulmonary diseases		
9	Anemias (280-285)	19	*		and allied conditions (490-496)	779	31.
10	Pneumonia and influenza (480-487)	15	*	10	Homicide and legal intervention (E960-E978)	689	27.
	All other causes (Residual)	199	6.8		All other causes (Residual)	6,715	271.
	Black non-Hispanic, male, 15-24 years				Black non-Hispanic, male, 65 years and over		
	All causes	5,923	223.8		All causes	69,216	6,522.
1	Homicide and legal intervention (E960-E978)	3,107	117.4	1	Diseases of heart (390-398,402,404-429)	22,109	2,083.
2	Accidents and adverse effects (E800-E949)	1,262	47.7	2	Malignant neoplasms, including neoplasms of	19.755	1 061
	Motor vehicle accidents (E810-E825)	895	33.8	3	lymphatic and hematopoietic tissues (140-208) Cerebrovascular diseases (430-438)	4,867	1,861. 458.
	effects (E800-E807,E826-E949)	367	13.9	4	Chronic obstructive pulmonary diseases	4,007	400.
3	Suicide (E950-E959)	440	16.6		and allied conditions (490-496)	2,848	268.
4	Diseases of heart (390-398,402,404-429)	202	7.6	5	Pneumonia and influenza (480-487)	2,641	248.
5	Malignant neoplasms, including neoplasms of			6 7	Diabetes mellitus (250)	2,508	236.
0	lymphatic and hematopoietic tissues (140-208)	163	6.2	'	Nephritis, nephrotic syndrome, and nephrosis (580-589)	1,270	119.
6	Human immunodeficiency virus infection (*042-*044)	76	2.9	8	Accidents and adverse effects (E800-E949)	1,264	119.
7	Congenital anomalies (740-759)	55	2.1		Motor vehicle accidents (E810-E825)	349	32.
8	Chronic obstructive pulmonary diseases				All other accidents and adverse		
	and allied conditions (490-496)	41	1.5	9	effects (E800-E807,E826-E949)	915	86.2
9	Anemias (280-285)(400-407)	29	1.1	10	Septicemia (038) Hypertension with or without renal	1,161	109.
10	Pneumonia and influenza (480-487)	28 520	1.1 19.6	10	disease (401,403)	760	71.
	, ,	320	13.0		All other causes (Residual)	10,033	945.
	Black non-Hispanic, male, 25-44 years				Black non-Hispanic, female, all ages ³		
	All causes	20,885	433.8		All	404.440	770
1	Human immunodeficiency virus	0.000	00.0	1	All causes Diseases of heart (390-398,402,404-429)	131,140 39,549	770. 232.
2	infection (*042-*044) Homicide and legal intervention (E960-E978)	3,862 3,260	80.2 67.7	2	Malignant neoplasms, including neoplasms of	39,349	232.
3	Accidents and adverse effects (E800-E949)	3,200	64.4	_	lymphatic and hematopoietic tissues (140-208)	28,380	166.
	Motor vehicle accidents (E810-E825)	1,508	31.3	3	Cerebrovascular diseases (430-438)	10,276	60.4
	All other accidents and adverse	,		4	Diabetes mellitus (250)	6,630	39.
	effects (E800-E807,E826-E949)	1,590	33.0	5	Accidents and adverse effects (E800-E949)	4,027	23.
4	Diseases of heart (390-398,402,404-429)	2,658	55.2		Motor vehicle accidents (E810-E825)	1,751	10.
5	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	1,733	36.0	1	effects (E800-E807,E826-E949)	2,276	13.
6	Suicide (E950-E959)	844	17.5	6	Pneumonia and influenza (480-487)	3,905	23.
7	Cerebrovascular diseases (430-438)	521	10.8	7	Chronic obstructive pulmonary diseases		
8	Diabetes mellitus (250)	394	8.2	_	and allied conditions (490-496)	2,917	17.
9	Pneumonia and influenza (480-487)	337	7.0	8	Human immunodeficiency virus infection (*042-*044)	2,400	14.
9	Chronic liver disease and cirrhosis (571)	337 3,841	7.0 79.8	9	Septicemia (038)	2,350	13.
	The other causes (Itesiauai)	J,041	13.0	10	Nephritis, nephrotic syndrome, and	_,000	
See foo	tnotes at end of table.				nephrosis (580-589)	2,276	13.4
					All other causes (Residual)	28,430	167.

Table 9. Deaths and death rates for the 10 leading causes of death in specified age groups, by sex and Hispanic origin and race for non-Hispanic population: United States, 1997—Con.

	Cause of death (Based on the Ninth Revision, International Classification of Diseases, 1975), Hispanic origin and race for				Cause of death (Based on the Ninth Revision, International Classification of		
Rank ¹	non-Hispanic population, sex, and age	Number ²	Rate ²	Rank ¹	Diseases, 1975), Hispanic origin and race for non-Hispanic population, sex, and age	Number ²	Rate ²
	Dischara Hannis forests 4 4 4 4 4						
	Black non-Hispanic, female, 1-4 years				Black non-Hispanic, female, 25-44 years		
	All causes	575	53.3		All causes	11,975	219.
	Accidents and adverse effects (E800-E949)	180	16.7	1	Malignant neoplasms, including neoplasms of		
	Motor vehicle accidents (E810-E825) All other accidents and adverse	71	6.6		lymphatic and hematopoietic tissues (140-208)	2,254	41.
	effects (E800-E807,E826-E949)	109	10.1	2	Human immunodeficiency virus infection (*042-*044)	1,638	30.
	Homicide and legal intervention (E960-E978)	61	5.7	3	Diseases of heart (390-398,402,404-429)	1.601	29.
	Congenital anomalies (740-759)	51	4.7	4	Accidents and adverse effects (E800-E949)	1,113	20.
4	Malignant neoplasms, including neoplasms of	20	0.0		Motor vehicle accidents (E810-E825)	606	11.
5	lymphatic and hematopoietic tissues (140-208) Human immunodeficiency virus	30	2.8		All other accidents and adverse	507	9.
5	infection (*042-*044)	23	2.1	5	effects (E800-E807,E826-E949) Homicide and legal intervention (E960-E978)	805	9. 14.
	Pneumonia and influenza (480-487)	22	2.0	6	Cerebrovascular diseases (430-438)	599	11.
	Diseases of heart (390-398,402,404-429)	20	1.9	7	Diabetes mellitus (250)	279	5.
8	Septicemia (038)	13	*	8	Pneumonia and influenza (480-487)	239	4.
9	Certain conditions originating in the perinatal period (760-779)	11	*	9	Chronic liver disease and cirrhosis (571)	217	4.
10	Anemias (280-285)	7	*	10	Chronic obstructive pulmonary diseases and allied conditions (490-496)	207	3.
	All other causes (Residual)	157	14.6		All other causes (Residual)	3,023	55.
	Black non-Hispanic, female, 5-14 years				Black non-Hispanic, female, 45-64 years	,	
	All causes	802	28.2		All	07.000	000
	Accidents and adverse effects (E800-E949)	289	10.2	1	All causes	27,660	896.
	Motor vehicle accidents (E810-E825)	155	5.5	'	lymphatic and hematopoietic tissues (140-208)	8,797	285.
	All other accidents and adverse			2	Diseases of heart (390-398,402,404-429)	7,133	231.
_	effects (E800-E807,E826-E949)	134	4.7	3	Cerebrovascular diseases (430-438)	1,793	58.
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	72	2.5	4	Diabetes mellitus (250)	1,684	54.
3	Homicide and legal intervention (E960-E978)	62	2.2	5	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	786 349	25. 11.
4	Congenital anomalies (740-759)	50	1.8		All other accidents and adverse	349	11.
	Diseases of heart (390-398,402,404-429)	39	1.4	'''	effects (E800-E807,E826-E949)	437	14.
6	Chronic obstructive pulmonary diseases	0.4	4.4	6	Chronic obstructive pulmonary diseases		
7	and allied conditions (490-496)	31	1.1	7	and allied conditions (490-496)	676	21.
,	infection (*042-*044)	23	8.0	7	Human immunodeficiency virus infection (*042-*044)	555	18.
8	Anemias (280-285)	21	0.7	8	Chronic liver disease and cirrhosis (571)	478	15.
	Pneumonia and influenza (480-487)	17	*	9	Pneumonia and influenza (480-487)	464	15.
	Suicide (E950-E959)	12	*	10	Septicemia (038)	434	14.
	All other causes (Residual)	186	6.5		All other causes (Residual)	4,860	157.
	Black non-Hispanic, female, 15-24 years			E	Black non-Hispanic, female, 65 years and over		
	All causes	1,694	64.2		All causes	84,714	5,102.4
	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	396 310	15.0 11.8	1 2	Diseases of heart (390-398,402,404-429)	30,540	1,839.
	All other accidents and adverse	310	11.0	4	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	17,096	1,029.
	effects (E800-E807,E826-E949)	86	3.3	3	Cerebrovascular diseases (430-438)	7.824	471.
	Homicide and legal intervention (E960-E978)	362	13.7	4	Diabetes mellitus (250)	4,641	279.
	Diseases of heart (390-398,402,404-429)	134	5.1	5	Pneumonia and influenza (480-487)	3,068	184.
4	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-208)	124	4.7	6	Chronic obstructive pulmonary diseases	4.074	440
5	Human immunodeficiency virus	124	4.1	7	and allied conditions (490-496)	1,971	118.
•	infection (*042-*044)	97	3.7	'	nephrosis (580-589)	1,782	107.
	Suicide (E950-E959)	63	2.4	8	Septicemia (038)	1,687	101.
	Congenital anomalies (740-759)	41	1.6	9	Hypertension with or without		
8	Complications of pregnancy, childbirth, and	26	1 4	1 40	renal disease (401,403)	1,310	78.
9	the puerperium (630-676)Pneumonia and influenza (480-487)	36 27	1.4 1.0	10	Accidents and adverse effects (E800-E949) Motor vehicle accidents (E810-E825)	1,165	70.
	Anemias (280-285)	24	0.9		All other accidents and adverse	242	14.
	All other causes (Residual)	390	14.8		effects (E800-E807,E826-E949)	923	55.
	•				All other causes (Residual)	13,630	821.

^{...} Category not applicable.

* Figure does not meet standards of reliability or precision; see Technical notes.

¹Rank based on number of deaths; see Technical notes.

²Figures for age not stated are included in "All ages" but not distributed among age groups.

³Includes deaths for "Under 1 year."

¹Includes races other than white and black.